




## Iraqi Journal of Applied Physics



P. O. Box 55259, Baghdad 12001, IRAQ  
www.iraqiphysicsjournal.com  
Email: info@iraqiphysicsjournal.com  
Email: editor\_ijap@yahoo.co.uk  
Email: irq\_appl\_phys@yahoo.com

## Subject Index 2005-2017



**Alternative & Renewable Energy**  
*IJAP-AARE*

- General Characteristics of High Energetic Proton Events Observed with SOHO/ERNE During Solar Cycle 23, 10(4), 3
- Nuclear Green Energy, 10(1), 3
- Characterization of Laser-Ablated Nanostructured Al<sub>2</sub>O<sub>3</sub>/p-Solar Cells, 11(1), 29

**Applied & Nonlinear Optics**  
*IJAP-AANO*

- Computer Aided Design of a Magnetic Lens Using a Combined Dynamic Programming and Artificial Intelligence Technique, 10(1), 33
- Curvelet-Based Optical Flow Estimation Algorithm Based on Central Derivatives, 6(2), 13
- Design of a Multi-Electrode Immersion Lens for Ion-Optical Systems, 2(1,2), 27
- Design of All-Reflecting Aplanatic Objective, 9(3), 19
- Development of an Inverted Optical Tweezers with Full Motional Control, 7(2), 19
- Investigations of Linear and Nonlinear Optical Properties of Transparent ZnO Thin Films Grown by Sol-Gel Method, 6(3), 29
- Key Mechanisms of the Nonlinear Amplification: Physics and Applications, 1(2), 3
- Microstructural Features and Properties of High-Hardness and Heat-Resistant Dispersion Strengthened Copper by Reaction Milling, 8(4), 3
- New Method for Calculating Cumulative Line Energy Using Pupil Function Technique, 2(1,2), 7
- Some Optical Properties of an Electrostatic Immersion Lens Using the Charge Density Method, 1(4), 21
- Temperature-Dependent Birefringence Properties of Be<sub>3</sub>Al<sub>2</sub>Si<sub>6</sub>O<sub>18</sub> Crystal, L2(1), 12

**Applied Mechanics & Thermodynamics**  
*IJAP-AMAT*

- Analytical and Experimental Study on Bound and Free Surface Waves in Wind-Wave Tank System, 8(1), 11
- Analytical Calculation of Heat Conduction in Two-Phase Heterogeneous Materials, 7(4), 11
- Characterization of D.C. Sputtering System, L1(1), 3
- Employing Inner Triplet Upgrade in Cold Mass Cooling Design for Large Hadron Collider, L2(1), 19
- HAZ Extent Analysis in Fiber-Reinforced Plastic Grooving by Laser, 1(1), 3
- Optimization of Composition, Structure and Characteristics of Metal in Arc Deposition, 5(2), 37

- Marangoni Convection Effect on the Melting of GaSb/InSb/GaSb Sandwich Structured Sample, 4(2), 35
- Modeling of the Preheating Effect on Keyhole Laser Welding Efficiency, L1(1), 10
- Structural, Electronic and Thermal Properties of TiC Compound in Sodium Chloride Structure, 11(1), 9
- Torque and Magnetic Flux Analysis Using an Advanced Dynamic Dynamometer Test Bed for Electromechanical Motors, 5(1), 13
- Using Longitudinal Surface Acoustic Waves for Non-Destructive Testing of Inner Surfaces, L1(2), 9

**Digital & Optical Communications**  
*IJAP-DAOC*

- A Balanced Backoff Algorithm for IEEE802.11 Wireless Network, 8(1), 27
- A CPW-Fed Printed Monopole Ultra-Wideband Antenna with E-Shaped Notched Band Slot, 6(4), 17
- A New Fractal Microstrip Bandpass Filter Design Based on Dual-Mode Square Ring Resonator for Wireless Communication Systems, 5(1), 7
- A Novel Secure Digital Watermark Generation from Public Share by Using Visual Cryptography and MAC Techniques, 10(3), 3
- Analysis and Design of Combined Fractal Dipole Wire Antenna, 5(2), 29
- Classification of Digital Modulation Using Wavelet Transform, 1(3), 15
- Coherent Detection in Optical Fiber Systems, 3(1), 3
- Comparative Evaluation of Bit Error Rate in Frequency Selective Fading Channels Employed in Wavelet Modulation, L1(2), 14
- Design and Analysis of Special Small Size Cross Dipole Antenna, 6(2), 19
- Design and Implementation of Adaptive Antenna System in a New LTE 3GPP Transceivers Based Multiwavelet Signals, 10(2), 11
- Design and Implementation of Adaptive Antenna System in Physical Layer CDMA Transceivers Based Multiwavelet Signals, 11(1), 3
- Determination of The Satellite Images Orientation Using DCT Coefficients, 6(2), 31
- Dipole Antenna with Fractal Koch Curve Geometry for Multiple Frequency Applications, 7(2), 3
- Effect of Chirping on Received Pulse Shape in Optical Fiber Communications, L2(2), 7
- FSK Transceiver for Bit Error Rate Tester Implementation, 8(4), 9
- Influence of Magnetic Saturation on Sensorless Rotor Position Estimation in IPMSM Drives Based on HIL Simulator, 8(3), 3

- Linear Adaptive Antenna Array Geometry Effects on Radiation Pattern, L3(1), 3
- Novel Optical Fiber Sensor Based on SGMS Fiber Structure for Measuring Refractive Index of Liquids and Gases, 7(4), 17
- Probabilistic Roadmap, A\*, and GA for Proposed Decoupled Multi-Robot Path Planning, 10(2), 3
- Performance Optimizing of Fourth Order Delta-Sigma Fractional-N Frequency Synthesizer using a Dither Technique for Third Generation (3G) Applications, 7(1), 3
- Phase Noise Compensation for Coherent Orthogonal Frequency Division Multiplexing in Optical Fiber Communications Systems, 5(2), 3
- Quantum Limit Characterization of Signal-to-Noise Ratio using Phase-Shift Keying in Homodyne Detection, L3(1), 11
- Range-Coverage Extension Using Smart Antennas in Mobile Communications Systems, 5(2), 25
- Reliable Implementation of Paillier Cryptosystem, 10(4), 27
- Signal Mechanism Analysis of Fiber Arrival Time in Fiber Optic Pin, 5(2), 13
- Software Defined Radio (SDR) Methodology Based Multi-Core Software Platform, 9(4), 3
- Synchronization Scheme for Secured Communications System Based on Chaotic Signals, L3(1), 7
- Transmission of Compressed Video Signals through Spread Spectrum Channel, 6(4), 9
- A Method to Improve the Security Level of Advanced Encryption Standard Algorithm by Using Proposed Algorithm, 8(4), 29

### **Electronic Materials & Devices**

#### ***IJAP-EMAD***

- Characterization of E-Mode InZnO Thin Film Transistors Produced by DC Sputtering Technique, L3(1), 19
- Dark and Illumination Electrical Characteristics of ZnS/Si Heterojunction Prepared by Pulsed Laser Deposition, 11(2), 25
- Development of NVD's Using XR5<sup>TM</sup> IIT Technique and III-V Photocathode Under Night Sky Conditions, 7(4), 33
- Effect of Heat Treatment on the Optical Properties of ZnO Thin Films Prepared by Chemical Spray Method, 9(1), 23
- Effect of Substrate Temperature on Structural Characteristics of Nano Silver Oxide Prepared by Pulsed-Laser Deposition, 11(2) 33
- Electrical Properties of Cu<sub>2</sub>O Films Prepared by Electro-Deposition Method, L1(2), 27
- Empirical and Simulation of Thermal Insulator of SWCNTs – Ceramic/Polymer Nanocomposites, 7(4), 3

- Extraction of Doping Profile in Substrate of MNOS capacitor Using Fast Voltage Ramp Deep Depletion C-V method, 6(1), 35
- Fabrication and Characterization of InZnO TFTs Grown on Transparent Conductive Oxide Substrate by DC Sputtering Technique, 6(1), 41
- Field Dependent Critical Trap Density for Thin Gate Oxide Breakdown, 6(3), 15
- Fundamentals of Microwave Integrated Circuits Based on High-Temperature Superconductors, 9(3), 3
- Junction Characteristics of Wide-Emitter (p)CdS-(n)Si-(p)Si Heterojunction Transistor, 2(1,2), 3
- Nanostructure Dopants TiO<sub>2</sub> Films for Gas Sensing, 7(2), 27
- New High Angular Resolution Detection System for Direction Recognition, 1(3), 27
- Performance Comparison of InP-Based Phototransistors to PIN and UTC Photodiodes, 4(4), 13
- Recent Developments in Silicon Photomultipliers, 4(3), 27
- Study on Compensation of Thermal Stresses in the Fabrication Process of Thin-Film Transistor, L1(1), 28
- Synthesis of Antimony Oxide Nanoparticles by Pulsed Laser Ablation in Wet Media, 9(3), 13
- Wide Range Speed Control Based on Field Oriented Control of Permanent Magnet Synchronous Motor, 9(4), 21
- Wideband (0.6-11) micron Angle Deposited Thin Te:S Laser Detector, 1(4), 3
- Underwater Sensing Characteristics of a ZnO Thin Film Sensor Prepared by Spray Pyrolysis, L1(1), 24

### **Laser Physics & Applications**

#### ***IJAP-LPAA***

- (3-5) $\mu$ m and (8-12) $\mu$ m Wavelengths Ultra-Short Tunable Laser Pulses Using Optical Parametric Oscillation Technique, 4(4), 37
- A Line Tuned TM<sub>00</sub> Mode CW CO<sub>2</sub> Laser, 1(1), 8
- Accurate Relative Frequency Cancellation Between Two Independent Lasers, 2(3,4), 3
- Characterization of Diode Laser-Pumped Nd:YVO<sub>4</sub> Disk Laser, 4(2), 31
- Characterization of Quantum Well Diode Pumped Nd:YVO<sub>4</sub> Using V-Shape Technique, L1(1), 31
- Continuous-Wave Broadly Tunable Cr<sup>2+</sup>:ZnSe Laser, 2(3,4), 6
- Design and Simulation of DPSS Laser with SHG for Material Processing, L2(1), 3
- Design and Simulation of Q-Switching and Mode-locking Nonlinear Mirror for Frequency-Doubled DPSS Nd:YAG Laser Output, 7(4), 23
- Design, Construction and Operation of a Multi-Stage Large-Bore CO<sub>2</sub> Laser, 1(1), 25

- Effect of Active Medium Temperature on the Output Characteristics of Pulsed Free-Running R6G and RB Dye Laser, 1(1), 30
- Effect of Self-Absorption on the Output Power of CW CO<sub>2</sub> Laser, L2(1), 31
- Effect of Transverse Magnetic Field on Laser Beam Width Parameter, 8(3), 31
- HAZ and Melt Limits of 3-D CO<sub>2</sub> Laser Welding, 7(2), 11
- Improvement of Wound Healing in Rabbit Skin by Low Level Polarized Laser Light, 9(4), 29
- Laser-Assisted CVD Fabrication and Characterization of Carbon and Tungsten Microhelices for Microthrusters, 3(3), 3
- Laser-Controlled Photoluminescence Characteristics of Silicon Nanocrystallites Produced by Laser-Induced Etching, 1(1), 15
- Laser-Human Skin Interaction: Analytical Study and Optimization of Present Non-Ablative Laser Resurfacing, 4(3), 5
- Modeling of 3-D Keyhole CO<sub>2</sub> Laser Welding of Steel, 6(1), 15
- Modeling of Temperature-Dependent Absorptivity of Laser-Treated Surface, 6(3), 21
- Non-ablative Tattoo Removal Using Fundamental and Second Harmonic Nd:YAG Laser (Histological Observations), 9(4), 11
- Non-Ablative Tattoo Removal Using Fundamental and Second Harmonic Nd:YAG Laser (Tattoo Ink Clearance Response), 10(1), 21
- Optical Properties of Silicon Nanoparticles Produced by Nd:YAG Laser Ablation, 4(4), 19
- Performance Optimization of Multi-Quantum Wells Laser Used in Optical Communications, L2(2), 11
- Profiling of Antimony Diffusivity in Silicon Substrates using Laser-Induced Diffusion Technique, L3(1), 23
- Structural Characteristics Study of Indium Diffusion in Silicon Using a Pulsed Nd:YAG Laser, 1(1), 34
- Studying of Reflected Light Optical Laser Microscope Images Using Image Processing Algorithm, 9(1), 15
- Temperature Dependencies of Refractive Index and Optical Elasticity Coefficient on Lens Induced in Nd:YAG Crystal, 8(1), 35
- Using Frequency Resolved Optical Gating for Optimization of Thermal Lensing Compensated Ti:Sapphire Femtosecond Laser System, 11(3), 9
- Characterization of Low-Pressure Argon and Nitrogen Discharge Plasmas Using Electrical Floating Probe Method, 9(3), 25
- Current-Voltage Characteristics of DC Plasma Discharges Employed in Sputtering Techniques, 12(3), 10
- Determination of Electron Temperatures in Rare-Gases Plasma, 4(1), 5
- Effect of Adding Nitrogen to the Gas Mixture on Plasma Characteristics of a Closed-Field Unbalanced DC Magnetron Sputtering System, 10(1), 27
- Effect of Annealing on the Electrical Characteristics of CdO-Si Heterostructure Produced by Plasma-Induced Bonding Technique, 4(3), 33
- Employment of Magnetron to Enhance Langmuir Probe Characteristics of Argon Glow Discharge Plasma in Sputtering System, 12(4), 19
- Generation of Highly-Directed Laser-Driven Plasma Blocks for Light Ion Beam Fusion Applications, 6(1), 3
- Influence of Inter-Electrode Distance, Gas Mixing, Magnetic Field and Cathode Material on Breakdown Voltage of Lab-Made DC Magnetron Sputtering Device, 10(4), 21
- Influence of Magnetic Nitrogen Plasma Functionalization of High Density Polycarbonate, 8(4), 17
- Langmuir Probe Diagnostics of Low-Pressure Glow Discharge Plasma Using Argon-Nitrogen Mixtures, 12(2), 17
- Laser-Based Measurements in Non-Equilibrium Plasmas, 8(1), 3
- Magnetic Field Distribution of Closed-Field Unbalanced Dual Magnetrons Employed in Plasma Sputtering Systems, 12(3), 35
- Microhardness and Tension Measurements of Pulsed-Laser Surface-Treated Aluminum Alloys, 11(3), 21
- Monte Carlo Simulation of Electronic Kinetics in Gas Discharge, 1(3), 3
- Numerical Model to Estimate the Potential Changes within Laser-Solid Surface Interaction Zone, 6(2), 3
- One-Dimension Simulation of Plasma Flow in the Cylindrical Hall Thruster, 8(4), 23
- The Fundamentals of Plasma-Assisted CVD Technique Employed in Thin Films Production, L1(2), 3

### **Plasma Physics & Applications** *IJAP-PPAA*

- Analysis of Boltzmann Equation for SF<sub>6</sub> and Some Gas-Mixture Discharges at Critical Field Condition, 12(1), 31

### **Quantum Physics & Spectroscopy** *IJAP-QPAS*

- Alternative mechanisms for electroweak symmetry breaking, 8(2), 8
- Application of Hydrotropic Solubilization Phenomenon for Estimating Diacerein in Capsule

- Dosage Form by Spectrophotometry Methods, 8(3), 17
- Beating Classical and Quantum Limits in Optics, 3(2), 3
- Calculation of Charge Density Distribution of (2s-1d) Shell-Model Nuclei Using the Occupation Numbers of States, 2(1,2), 31
- CERN experiments observe particle consistent with long-sought Higgs boson, 8(3), 11
- Correction Four-Component Dirac-Coulomb Using Gaussian Basis-Set and Gaussian Model Distribution for Super Heavy Element ( $Z=115$ ), 12(1), 17
- Design of a Fundamental Concept of Virtual Reality System for Intensity Distribution in Free Electron Laser Amplifier, 4(1), 11
- Dispersion Compensation for a Femtosecond Self-Pumped Phase Conjugator, 2(3,4), 9
- Effect of Acidic Environment on the Spectral Properties of *Hibiscus sabdariffa* Organic Dye used in Dye-Sensitized Solar Cells, 10(2), 27
- Effect of Dissipative Forces on the Theory of a Single-Atom Microlaser, 2(3,4), 12
- Effect of Oxygen Quencher on Absorption and Fluorescence Spectra of Rhodamine-6G and Rhodamine-B Dyes in Ethanol Solvent, 1(1), 20
- Effect of the Scattered Solar Radiation on the Atmospheric Ozone Measurements, 2(1,2), 11
- Effects of Temperature and Concentration on Spectroscopic Behaviors of Laser Dye, 12(1), 35
- Experimental Observations and Modelling of Electron Density of the Plasmasphere, 6(1), 47
- Extra Val Function for the Theoretical Sensing of Ultraviolet Light and Temperature Produced by Fluorescein-Filled Photonic Crystal Fiber, 13(3), 29
- Fluorescence Energy Transfer Characteristics in Binary Acriflavine-Red Nut Lasing Dye Mixtures, 12(2), 3
- Fractal Nanotechnology, 4(4), 25
- FTIR Spectra of Molybdenum Tellurite Glasses, 2(1,2), 23
- FTIR Spectroscopic and Computational Studies on Hydrogen Adsorption on the Zeolite Li-FER, 4(2), 21
- General Characteristics of High Energetic Proton Events Observed with SOHO/ERNE During Solar Cycle 23, 10(4), 3
- Generation of Femtosecond Pulses from Order-of-Magnitude Pulse Compression in a Synchronously Pumped Optical Parametric Oscillator Based on Periodically Poled Lithium Niobate, 2(3,4), 24
- Generation of Intense 8-fs Pulses at 400nm, 2(3,4), 15
- Higgs Boson, 8(2), 3
- High-Intensity Third-Harmonic Generation in Beta Barium Borate Through Second-Order and Third-Order Susceptibilities, 2(3,4), 18
- Introduction to the Higgs Boson Papers, 8(2), 12
- Introduction to Particle Physics and the LHC, 8(2), 23
- Luminescence Characterization of the Bio-Conjugated Quantum Dots with CA125 Antigen Using Linkage Molecules, 7(1), 27
- Luminescent Plates Doped with Stilbene 420 Dye for Enhanced Silicon Solar Cell Performance: Down-Conversion, 6(4), 3
- Measurement of Water Vapour and Temperature Profiles Within the Troposphere Using Ultraviolet Raman LIDAR System, 8(1), 19
- Nanolasers: Lasing from Nanoscale Quantum Wires, 3(4), 3
- Optimization and Fine-Tuning of Controlled White-Light Continuum Generation in Transparent Solid Medium by 1-kHz Repetition Rate Femtosecond Laser Pulses, 12(1), 27
- Phase Conjugation with Random Fields and with Deterministic and Random Scatterers, 2(3,4), 21
- The biggest machine in the world, 8(2), 22
- The Mythical Higgs Boson, 8(2), 26
- Elusive particle may be near, 8(2), 26
- Finding the Smallest Unifying Particle in the Human Universe: An Artistic Theory of Everything, 8(2), 27
- Synchronization in Optically Coupled Chaotic Systems by Optical Feedback, 12(1), 11

### Semiconductors & Optoelectronics

#### IJAP-SCAOE

- Analysis and Simulation of Carrier Transport in InP-Based Double Heterojunction Photoelectronic Device, 13(3), 23
- Annealing Effect on the Photoluminescence of CdTe/CdSe Thin Film Photovoltaic Devices, 1(3), 23
- Band Diagram of p-PbTe/n-Si Heterostructure, 1(2), 27
- Characteristics of a-Si:H Solar Cell Under Extended Illumination Condition Using NIR Laser, 5(1), 35
- Characteristics of p-n Junction Silicon Carbide LED, 2(1,2), 17
- Characterization of  $(\text{CdO})_{1-x}(\text{ZnO})_x$  Thin Films Prepared by Pulsed-Laser Deposition for Solar Cell Applications, 11(3), 3
- Characterization of CdS:In/Si Heterojunction Solar Cells, 1(2), 13
- Characterization of SiC/Si Heterojunction Fabricated by Plasma-Induced Growth of Nanostructured Silicon Carbide Layer on Silicon Surface, 12(2), 9
- Charge Injection into Organic Semiconductors, 4(2), 5
- Computation of Optical Energy Gap of  $\text{Cu}_2\text{O}$  Thin Film: Theoretical Estimation, 11(1), 21

- Correlation Between Kinematics, Optical and Structural Properties of Size Quantized PbS Nano Films Deposited by Spray Pyrolysis, 10(3), 35
- DC Conductivity and Optical Properties of InSbTe<sub>3</sub> Amorphous Thin Films, 6(3), 9
- Density of Defect States in Se<sub>90</sub>Sb<sub>10-x</sub>Ag<sub>x</sub> Glassy Alloys, 9(4), 25
- Effect of Bath Temperature on the Optoelectronic Characteristics of Chemically Deposited CdS Thin Films, 5(1), 23
- Effect of pH Value on the Photoconductivity of Chemically Deposited CdS Thin Films, L2(1), 23
- Effect of Thickness on Optical and Electrical Properties of ZnO Prepared by CBD, 7(1), 11
- Effects of Deposition Parameters on Chemically Deposited PbS Thin Films, 4(4), 7
- Effects of Temperature on The Properties of Amorphous-to-Crystalline Transition in AgSbSe<sub>2</sub> Thin Films, 7(1), 17
- Efficiency Enhancement of Photovoltaic Silicon Cell by Ultrashort Laser Pulses, 5(2), 33
- First Principle Calculation of Pressure-Induced Phase Transition and Band Structure of Gallium Phosphide, 9(4), 17
- Growth of In<sub>x</sub>Ga<sub>1-x</sub>Sb Bulk Crystals by Czochralski Technique, 1(4), 17
- High-Quality Plasma-Induced Crystallization of Amorphous Silicon Structures, 5(1), 35
- Illumination and Dark Current-Voltage Characteristics of Polymer-Silicon Heterojunction Solar Cells, L2(1), 12
- Influence of Deposition Parameters on Optical and Electrical Properties of Cu<sub>x</sub>S Thin Films Prepared Using Chemical Bath Deposition Method, 4(3), 19
- Investigation of Amorphous to Crystalline Transition in Glassy Se<sub>80</sub>Te<sub>20</sub> and Se<sub>70</sub>Te<sub>20</sub>M<sub>10</sub> (M=Ag, Cd, Sb) Alloys, 1(3), 7
- Light-Beam-Induced-Current Analysis of Thin-Film Polycrystalline Solar Cells, 7(4), 29
- Modeling of Transport Properties of Amorphous Silicon Solar Cells, 6(1), 25
- Nano/Micro Surface Texturing and Enhancing of Photovoltaic Cells Efficiency by Using UV Femtosecond Laser Pulses, 7(2), 33
- Nickel Doping and Annealing Effects on the Structural and Optical Properties of Iron Oxide Thin Films, 10(3), 17
- Optical and Electrical Properties of Zinc Oxide Films Prepared by Spray Pyrolysis, 6(4), 23
- Optical and Electrical Properties of ZnO Thin Films Prepared by Spray Pyrolysis Technique, 4(1), 31
- Optical Properties of Annealed Cadmium Sulfide Thin Films Prepared by Chemical Bath Deposition, L2(2), 19
- Optical Properties of Many-Layers Zinc Sulphide Thin Films prepared by Chemical Bath Deposition Method, 6(3), 33
- Optical Properties of Thermally-Annealed Tin-Doped Indium Oxide Thin Films, L2(2), 15
- Optimization of Silicon Solar Cells Efficiency by Chemical Texturing, 10(2), 17
- Optoelectronic Characteristics of As-doped Silicon Photodetectors Produced by LID Technique, L1(2), 23
- Preparation and Characteristic Study of In<sub>2</sub>O<sub>3</sub>/c-Si Made by Spray Pyrolysis, 1(1), 11
- Preparation and Characterization of Self-Assembled n-ZnS Thin Films, 4(4), 33
- Preparation and Characterization of PANi Films by Electrochemical Polymerization, 10(2), 23
- Preparation and Study of Indium Oxide Nanoparticles, 10(4), 15
- Stress Management and Interfacial Strength of Gallium Nitride Layer Grown on Diamond Substrate, 13(2), 19
- Structural, Electronic and Gas Sensing Properties of Cu-Doped ZrO<sub>2</sub>-TiO<sub>2</sub>, 10(3), 23
- Structural Properties of Semiconducting Nanostructures Prepared by DC Plasma Reactive Sputtering Method, 10(3), 41
- Studying Defects on Semiconductor Surfaces by Photoacoustic Spectroscopy, 6(3), 25
- Synthesis of Silicon Nanowires by Selective Etching Process, 4(3), 15
- Technology and Future of III-V Multi-Junction Solar Cells, 6(3), 3
- The Effect of Some Experimental Parameters on the Properties of Porous Silicon, 4(1), 37
- Theoretical Treatment to Determine the Quality of Photonic Crystal Fiber (PCF) as a Function of the Number of Air Holes, 9(3), 31
- Thermal Management of Vertical External Cavity Surface Emitting Laser Grown on GaAs Substrate, 13(2), 15
- Thermally Stimulated Currents Technique to Study Traps in Insulators and Semiconductors, 11(2), 3
- Using Substrate Removal Technique for GaAs-Based VECSEL Optimization, 13(2), 23

### Solid State Physics & Applications IJAP-SSPA

- A Mathematical Model to Describe the Densification Process During the Sintering of Ceramic Compacts, 4(2), 11
- Antibacterial Activity of Gold and Silver Nanoparticles against Pathogen Species, *E. coli* and *S. aureus*, 13(3), 19
- Bulk Properties of Yba<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub> Superconducting Materials, 1(2), 19
- Calculation of Buildup Factors for Ceramic Materials, 7(1), 23
- Characteristics of Gold and Silver Nanoparticles Deposited on Crystalline and Amorphous TiO<sub>2</sub> Films by Femtosecond Laser Pulses, 8(1), 43

- Characterization of Commercial Al-Si Casting Alloys Reinforced with Nano SiC Composites, 8(3), 25
- Characterization of Epoxy Composites Reinforced by Waste Bio-Fibers, 11(3), 15
- Characterization of Pulsed-Laser Deposited CuO-Doped MgO Thin Films for Gas Sensing Applications, 13(3), 13
- Characterization of SiC/SiC Composites Used for Power Plant Blanket, L2(1), 27
- Characterizations of Hydroxyapatite Thin Films Deposited by Spray Pyrolysis on Titanium Substrates for Bone Implant Applications, 10(3), 11
- Complex Magnetic Investigation of Ferritic Stainless Steel, L2(1), 9
- Crystallization and Glass Transition Kinetics in  $Se_{90}Sb_{10-x}Ag_x$  Glassy Alloys, 9(1), 7
- Densification Behavior and Dielectric Properties of Low-Temperature Cordierite Ceramics, L1(2), 20
- Determination of Thermal Conductivity of Compact Graphite Iron, 4(4), 3
- Effect of Bio-Fiber Waste Addition on Specifications of Epoxy Composite, 11(1), 21
- Effect of Coir Fiber Length and Content on Mechanical Properties of Unsaturated Polyester Composites, 11(3), 27
- Effects of  $CaO-B_2O_3$  Glass on Sintering and Microwave Properties of Cordierite Ceramics for Low-Temperature Cofired, L1(1), 16
- Evaluation of Some Atomic Coefficients for Elements Carbon-Copper-Silver by Using Beta Particles, 10(1), 15
- Fabrication of Carbon Nanotube/Titanium Dioxide Nanocomposite Photocatalyst Using Sol-Gel Method, 12(2), 21
- Influence of Complexing Agent on Morphology Properties of PbS Thin Films Studied by Atomic Force Microscopy, 11(2) 13
- Influence of Complexing Agents on Structural Properties of PbS Thin Films Prepared by CSD Method, 12(1), 23
- Influence of Functionalization MWCNTs Using Acid Treatment on Gram Negative and Gram Positive Bacteria, 10(3), 29
- Interfacial Adhesion of PZT Ferroelectric Thin Films Determined by Nano-Indentation Method (Rapid Communication), 5(1), 32
- Investigation of the Mechanical Behavior of Binary and Ternary Polymer Blends, 11(2), 19
- Key Mechanisms of Low-Pressure Glow Discharge in Magnetized Plasmas, 12(3), 3
- Key Principle of Electroluminescent Polymers (Review Article), 5(1), 3
- Low-Temperature Aqueous Chemical Growth of Inorganic-Organic Hybrid Junction with ZnO Nanorods/Polyfluorene Structure, 9(1), 29
- Microhardness of Nanostructured  $Si_xN_{1-x}$  Thin Films Prepared by Reactive Magnetron Sputtering, 12(2), 15
- Microstructural Study of Copper-Carbon Composite Interface, 6(2), 25
- Methods of Determining the Refractive Index of Thin Solid Films, 4(1), 17
- Nanostructured Copper Oxide Thin Films Prepared by DC Reactive Magnetron Sputtering, 13(2), 11
- Polynanocrystalline  $CuIn_3Se_5$  Thin Film Photoabsorber Layer Produced by Pulsed-Laser Deposition, L3(1), 15
- Power Reduction in Flexible Silicon Thin Film Digital Circuits, 5(2), 19
- Preparation and Characterization of Eggshell Powder (ESP) and Study its Effect on Unsaturated Polyester Composites Material, 11(1), 25
- Preparation and Characterization of Silicon Dioxide Nanostructures by DC Reactive Closed-Field Unbalanced Magnetron Sputtering, 12(4), 13
- Preparation and Characterization of Silicon Nitride Nanostructures Prepared by DC Reactive Sputtering Technique with Novel Design of Closed-Field Unbalanced Dual Magnetron Assembly, 13(3), 3
- Preparation of Highly Pure Nanostructures by Reactive DC Magnetron Sputtering Technique, 12(3), 27
- Preparation of Refractory Mortar from Iraqi Raw Materials, 11(2), 37
- Production of Ceramic-Based Composites By Self Infiltration, 4(1), 25
- Structural Characteristics of Nickel Ferrite Nanoparticles Synthesized by New Arrangement of Concentric Targets in DC Reactive Magnetron Sputtering, 12(4), 9
- Structural Properties of Nickel Oxide Nanostructures Prepared by Closed-Field Unbalanced Dual Magnetron Sputtering Technique, 13(2), 3
- Structural Characteristics of  $\gamma-Al_2O_3$  Nanoparticles Prepared by Laser-Assisted Spray Pyrolysis Technique, 11(2), 29
- Zinc Oxide Nanowires Prepared by Oblique Angle Deposition Method, 12(1), 3

\* \* \*

**Notes:**

- I(1), 3 refer to IJAP, Vol. 1, No. 1, page 3
- L1(1), 3 refer to IJAPlett, Vol. 1, No. 1, page 3